

To: Wagner.Christine@epa.gov
Cc: [Nonresponsive based on revised scope](#) @westonsolutions.com; [Nonresponsive based on revised scope](#) @WestonSolutions.com; [Nonresponsive based on revised scope](#) @epa.gov; Graybill, Eric[graybill.eric@epa.gov]

From: [Nonresponsive based on revised scope](#) /O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=29594540F9864AD2AB18944AF0A52E05-[Nonresponsive based on revised scope](#)
Sent: Wed 4/29/2020 4:39:46 PM (UTC)
Subject: 48734 - Validated Electronic Data for Shiloh Church Road
[48734 C0B60 LTR.pdf](#)
[48734 C0B60 DVR.pdf](#)
[48734 C0B60 SSR.pdf](#)
[EQulS 1 48734 C0B60 VAL.xls](#)
[EQulS 2 48734 C0B60 VAL.xls](#)
[EQulS 3 48734 C0B60 VAL.xls](#)
[EQulS 48734 C0B60 VAL.xls](#)

Christine Wagner
US EPA Region 3
1650 Arch Street
Philadelphia, PA 19103-2029

Dear Christine,

Attached to this message you will find electronic files containing the validation report and validated data for the Shiloh Church Road site, Case # 48734, SDG C0B60. The validation of this case was completed by the Region III Environmental Services Assistance Team (ESAT).

Please contact ESAT's RPO, Eric Graybill by phone at 410-305-2665 or e-mail at Graybill.Eric@epa.gov if additional assistance is needed.

TO # 0002 TDF # 0220004

 [Nonresponsive based on revised scope](#) Chemistry Data Manager | [Nonresponsive based on revised scope](#) @epa.gov

ICF | 701 Mapes Road, Fort Meade, MD 20755-5350